

The Honorable Commissioner of Patents
and Trademarks

Page 3

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A method of optical wavelength allocation in a photonic network comprising the steps of:

generating a first plurality of unmodulated optical wavelengths at a first location in the network;

selecting a predetermined one wavelength of the first plurality of unmodulated optical wavelengths;

transmitting the predetermined one wavelength to a second location; and

generating a second plurality of unmodulated optical wavelengths at a source of a second location in the network with reference to the predetermined one wavelength.

2. (previously presented) A method as claimed in claim 1 further comprising the steps of:

forming a second group of wavelengths by grouping selected second wavelengths; and

transmitting the second group of wavelengths to a third location in the network.

3. (previously presented) A method as claimed in claim 2 further comprising the steps of:

modulating one wavelength of the second group of wavelengths at the third location; and

passing the modulated one of the second group of wavelengths to the first location in the network.

4. (previously presented) A method as claimed in claim 2 further comprising the steps of:

modulating one wavelength of the second group of wavelengths at the third

The Honorable Commissioner of Patents
and Trademarks

Page 4

location; and

passing the modulated one of the second group of wavelengths to a fourth location in the network.

5. (Original) A method as claimed in claim 2 further comprising the step of modulating a wavelength of the first group of wavelengths at the first location.

6. (currently amended) Apparatus for optical wavelength allocation in a photonic network comprising:

means for generating a first plurality of unmodulated optical wavelengths at a first location in the network;

means for selecting a predetermined one wavelength of the first plurality of optical wavelengths; and

means for transmitting the predetermined one wavelength to a second location for generating a second plurality of unmodulated optical wavelengths at a source of a second location in the network with reference to the predetermined one wavelength.

7. (previously presented) Apparatus as claimed in claim 6 further comprising:

means for forming a second group of wavelengths by grouping selected second wavelengths; and

means for transmitting the second group of wavelengths to a third location in the network.

8. (previously presented) Apparatus as claimed in claim 7 further comprising:

means for modulating one wavelength of the second group of wavelengths at the third location; and

means for passing the modulated one of the second group of wavelengths to the first location in the network.

9. (Original) Apparatus as claimed in claim 7 further comprising means for modulating one wavelength of the second group of wavelengths at the third location and passing the modulated one of the second group of wavelengths to a fourth location in the network.

The Honorable Commissioner of Patents
and Trademarks

Page 5

10. (previously presented) A method of optical wavelength allocation in a photonic network comprising the steps of:

generating a first plurality of unmodulated optical wavelengths at a first location in the network;

generating a second plurality of unmodulated optical wavelengths at a second location in the network; and

In response to a path request from a third location, selecting one location adjacent to the third location from the first location and the second location; and

setting up a connection between the third location and the one location to provide the optical wavelengths generated at the one location to the third location.

11. (previously presented) A method as claimed in claim 10 further comprising the steps of:

forming a group of wavelengths by grouping wavelengths selected from the unmodulated optical wavelengths; and

transmitting the group of wavelengths to a third location in the network.

12. (previously presented) A method as claimed in claim 11 further comprising the steps of:

modulating one wavelength of the group of wavelengths at the third location; and

passing the modulated one of the group of wavelengths to the first location in the network.

13. (previously presented) A method as claimed in claim 11 further comprising the steps of:

modulating one wavelength of the group of wavelengths at the third location; and

passing the modulated one of the group of wavelengths to a fourth location in the network.

14. (previously presented) A method as claimed in claim 11 further comprising the step of modulating a wavelength of a first group of wavelengths selected from the first

The Honorable Commissioner of Patents
and Trademarks

Page 6

plurality of unmodulated optical wavelengths at the first location.

15. (previously presented) Apparatus for optical wavelength allocation in a photonic network comprising:

means for generating a first plurality of unmodulated optical wavelengths at a first location in the network;

means for generating a second plurality of unmodulated optical wavelengths at a second location in the network; and

means for selecting one location adjacent to a third location from the first location and the second location in response to a path request from a third location, and setting up a connection between the third location and the one location to provide the optical wavelengths generated at the one location to the third location.

16. (previously presented) Apparatus as claimed in claim 15 further comprising:

means for forming a group of wavelengths by grouping wavelengths selected from the unmodulated optical wavelengths; and

means for transmitting the group of wavelengths to a third location in the network.

17. (previously presented) Apparatus as claimed in claim 16 further comprising:

means for modulating one wavelength of the group of wavelengths at the third location; and

means for passing the modulated one of the group of wavelengths to the first location in the network.

18. (previously presented) Apparatus as claimed in claim 16 further comprising modulating one wavelength of the group of wavelengths at the third location and passing the modulated one of the group of wavelengths to a fourth location in the network.

19. (previously presented) Apparatus as claimed in claim 16 further comprising means for modulating a wavelength of a first group of wavelengths selected from the first plurality of unmodulated optical wavelengths at the first location.

The Honorable Commissioner of Patents
and Trademarks

Page 7

20. (previously presented) A method of optical wavelength allocation in a photonic network comprising the steps of:

generating a plurality of unmodulated optical wavelengths at a first location in the network;

forming a group of wavelengths by grouping selected wavelengths;

transmitting the group of wavelengths to a second location in the network;

modulating one of the group of wavelengths at the second location;

passing the group of wavelengths to a third location in the network;

modulating a second of the group of wavelengths at the third location; and

passing the modulated second of the group of wavelengths back to the second location thereby establishing a two way communications path using two optical wavelengths between the second and third locations.

21. (Cancelled)

22. (Cancelled)

23. (Cancelled)

24. (previously presented) Apparatus for optical wavelength allocation in a photonic network comprising:

means for generating a plurality of unmodulated optical wavelengths at a first location in the network;

means for forming a group of wavelengths by grouping selected wavelengths;

means for transmitting the group of wavelengths to a second location in the network;

means for modulating one of the group of wavelengths at the second location;

means for passing the group of wavelengths to a third location in the network;

means for modulating a second of the group of wavelengths at the third location; and

means for passing the modulated second of the group of wavelengths back to the second location whereby a two way communications path using two optical wavelengths between the second and third locations is established.

The Honorable Commissioner of Patents
and Trademarks

Page 8

25. (Cancelled)

26. (Cancelled)

27. (Cancelled)

28. (Original) Apparatus as claimed in claim 24 wherein the means for generating a plurality of optical wavelength includes a multiple lambda source

29. (Original) Apparatus as claimed in claim 28 wherein the optical wavelengths conform to a dense wavelength distributed multiplexing scheme.

30. (Original) Apparatus as claimed in claim 24 wherein the means for generating a plurality of optical wavelengths includes wavelength distributed multiplexers.

31. (previously presented) Apparatus as claimed in claim 30 wherein the wavelength distributed multiplexers are coarse relative to a dense wavelength distributed multiplexing scheme.

32. (currently amended) Apparatus as claimed in claim 6 wherein the generating means includes a multiple lambda source.

33. (previously presented) Apparatus as claimed in claim 32 wherein the optical wavelengths conform to a dense wavelength distributed multiplexing scheme.

34. (previously presented) Apparatus as claimed in claim 6 wherein the generating means includes wavelength distributed multiplexers.

35. (previously presented) Apparatus as claimed in claim 34 wherein the wavelength distributed multiplexers are coarse relative to a dense wavelength distributed multiplexing scheme.

36. (previously presented) A method as claimed in claim 10 further comprising the

The Honorable Commissioner of Patents
and Trademarks

Page 9

step of:

- generating a reference wavelength;
- providing the reference wavelength to the first location to generate the first plurality of unmodulated optical wavelengths at the first location; and
- providing the reference wavelength to the second location to generate the second plurality of unmodulated optical wavelengths at the second location.

37. (previously presented) A method as claimed in claim 10 further comprising the step of:

- selecting a reference wavelength from the first plurality of unmodulated optical wavelengths;
- providing the reference wavelength to the second location to generate the second plurality of unmodulated optical wavelengths at the second location.

38. (previously presented) Apparatus as claimed in claim 15 further comprising:

- a source for generating a reference wavelength;
- means for providing the reference wavelength to the first location to generate the first plurality of unmodulated optical wavelengths at the first location; and
- means for providing the reference wavelength to the second location to generate the second plurality of unmodulated optical wavelengths at the second location.

39. (previously presented) Apparatus as claimed in claim 15 further comprising:

- means for selecting a reference wavelength from the first plurality of unmodulated optical wavelengths;
- means for providing the reference wavelength to the second location to generate the second plurality of unmodulated optical wavelengths at the second location.

40. (currently amended) Apparatus as claimed in claim 15 wherein the generating means includes a multiple lambda source.

41. (previously presented) Apparatus as claimed in claim 40 wherein the optical wavelengths conform to a dense wavelength distributed multiplexing scheme.

The Honorable Commissioner of Patents
and Trademarks

Page 10

42. (previously presented) Apparatus as claimed in claim 15 wherein the generating means includes wavelength distributed multiplexers.

43. (previously presented) Apparatus as claimed in claim 42 wherein the wavelength distributed multiplexers are coarse relative to a dense wavelength distributed multiplexing scheme.